SAFETY DATA SHEET

Zeonex 350R

ZEON

Section 1. Identification

GHS product identifier	: Zeonex 350R
Other means of identification	: Not applicable.
Product code	: Z00409
Product use	: Optical, Medical Device and Electrical Applications.
Supplier's details	: Zeon Specialty Materials Inc. 25 Metro Drive #238 San Jose, CA 95110 USA Phone : +1-408-641-7889 FAX : +1-408-516-9382
e-mail address of person responsible for this SDS	: Mr. Toshiro Katayama: toshiro.katayama@zeonsmi.com Mr. Larry Atupem: larry.atupem@zeonsmi.com
Emergency telephone number (with hours of operation)	: CHEMTREC: 1-800-424-9300 (24 hours a day/7 days per week) Outside the United States (Call Collect): 001-703-527-3887

Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the	: Not classified.
substance or mixture	
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Eye, skin and respiratory irritation may occur due to vapors and fumes created during processing operations. In a fire, decomposition may produce toxic gases/fumes. Handling operations can promote accumulation of static charges which may ignite flammable materials. Take precautionary measures against static discharge. Keep container tightly closed. Heated material can cause thermal burns.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not applicable.
identification	
Product code	: Z00409

Ingredient name	%	CAS number
Polycycloolefin resin	~100	Proprietary

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Do not rub affected area. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Contact with hot material causes thermal skin burns. In case of burns, immediately cool affected skin with cold water and continue for as long as possible or apply wet cloths to the area until medical attention can be obtained.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. If potentially dangerous quantities of this material have been swallowed or if you feel unwell, call a poison control center or physician immediately.
Most important symptoms/	effects, acute and delayed

Potential acute health effec	ts	
Eye contact	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. Eye irritation may occur due to vapors and fumes created under conditions of thermal decomposition and overheating.
Inhalation	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Respiratory irritation may occur due to vapors and fumes created under conditions of thermal decomposition and overheating.
Skin contact	:	Heated material can cause thermal burns.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symp	tom	<u>IS</u>
Eye contact	:	No specific data.
Inhalation	1	No specific data.
Skin contact	:	No specific data.
Ingestion	4	No specific data.
Indication of immediate med	ica	l attention and special treatment needed, if necessary
Notes to physician	-	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
Date of issue/Date of revision		: 09/27/2019 Date of previous issue : 12/15/2017 Version : 4 2/10

Section 4. First aid measures

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: In case of fire, use water spray (fog), foam or dry chemical. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Do not use carbon dioxide or water jets.
Specific hazards arising from the chemical	: Minimize dust generation and accumulation; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Handling operations can promote accumulation of static charges which may ignite flammable materials. Take precautionary measures against static discharge.
Hazardous thermal decomposition products	: In a fire, decomposition may produce toxic gases/fumes.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Remark	 Results of laboratory tests for thermal properties (conducted according to OECD Guidelines): Flammability (solids): Not highly flammable [OECD Test: 93/105/EC Annex VIID 3.10] Relative self-ignition temperature for solids: Does not self ignite [OECD Test: 93/105/EC Annex VIID 3.12] Thermal stability: Stable at room temperature [OECD Test: 93/105/EC Annex VIID 3.16]
Remark (Explosibility)	: Explosive properties: Not explosive [OECD Test: 93/105/EC Annex VIID 3.11]

Section 6. Accidental release measures

Personal precautions, protect	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary personnel away.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nta	ainment and cleaning up
Small spill	:	Vacuum or sweep up material and place into appropriate containers for reuse, recycling, or disposal.
Large spill	:	Prevent entry into sewers, water courses, basements or confined areas. Move containers from spill area. Vacuum or sweep up material and place into appropriate containers for reuse, recycling, or disposal. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

	_	_
Precautions for safe handling	1	
Protective measures		Put on appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Handling operations can promote accumulation of static charges which may ignite flammable materials. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.
		Minimize dust generation and accumulation; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. Avoid all possible sources of ignition (spark or flame).
		Decomposition may occur during exposure to elevated temperatures or excessive time periods. Equipment should not be shut down for extended time periods with compound in it or decomposition may occur. Employees should wear air-supplied respirators, gloves, and protective clothing when removing decomposition material. Avoid inhalation of vapors and fumes created under conditions of thermal decomposition and overheating.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store indoors in original container at normal room temperature* and humidity* and well-ventilated area, protected from direct sunlight and formation of condensation. Store it away from incompatible materials (see Section 10), food and drink. Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. *Preferred normal room temperature and humidity: 0°C - 40°C (32°F - 104°F) and 30%-90% Relative Humidity (RH).

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Polycycloolefin resin	None.
Particulates Not Otherwise Regulated (Total Dust)	OSHA PEL (United States, 9/2012). TWA: 15 mg/m³ 8 hours.

Appropriate engineering controls		contaminant controls to k statutory lim	ts. Use process enclo eep worker exposure its.	e sufficient to control w sures, local exhaust ve to airborne contaminal	entilation or othe nts below any re	er engineering ecommended	
Environmental exposure controls	:			c process equipment s of environmental prot			
Individual protection meas	ures						
Hygiene measures	:	Wash hands	s before breaks and im	nmediately after handli	ng the product.		
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. When handling heated or molten material, the following should be worn: chemical splash goggles and a face shield.					
Skin protection							
Date of issue/Date of revision		: 09/27/2019	Date of previous issue	: 12/15/2017	Version	:4	4/10

Section 8. Exposure controls/personal protection

	• •
Hand protection	: Follow good industrial hygiene practice. When handling hot material, wear heat- resistant protective gloves that are able to withstand the temperature of molten product.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Respiratory protection is typically not necessary if room is well ventilated. If vapor or dust is generated and ventilation is inadequate, use a NIOSH certified respirator that will protect against dust/mist. Wear a positive pressure air-supplied respirator in situations where there may be potential for elevated airborne exposure such as during equipment malfunction, or product stagnation during processing that may lead to decomposition. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	1	Solid. [Pellet; Puck; or Plaque]
Color	1	Colorless.
Odor	1	Odorless.
Odor threshold	1	Not available.
рН	1	Not available.
Melting point	1	Not available.
Boiling point	:	Not applicable.
Flash point	1	Not applicable.
Evaporation rate	1	Not applicable.
Flammability (solid, gas)	:	Results of laboratory tests for thermal properties (conducted according to OECD Guidelines): Flammability (solids): Not highly flammable [OECD Test: 93/105/EC Annex VIID 3.10] Relative self-ignition temperature for solids: Does not self ignite [OECD Test: 93/105/EC Annex VIID 3.12] Thermal stability: Stable at room temperature [OECD Test: 93/105/EC Annex VIID 3.16]
Lower and upper explosive (flammable) limits	:	Not applicable.
Vapor pressure	1	Negligible.
Vapor density	1	Not applicable.
Relative density	:	0.95 [Water = 1]
Solubility	:	Not available.
Solubility in water	1	Insoluble.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not applicable.
Explosive properties	:	Explosive properties: Not explosive [OECD Test: 93/105/EC Annex VIID 3.11]

Section 10. Stability and reactivity

Reactivity	: Under normal conditions of storage and use, hazardous polymerization will not occur.	
Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).	
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
Conditions to avoid	: Overheating. Prevent dust accumulation.	
Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizing materials Reducing agents	
Hazardous decomposition products	 If product is exposed to significant temperatures, decomposition may occur and produce toxic gases/fumes. Decomposition products: carbon monoxide; carbon dioxide; hydrocarbons 	

Section 11. Toxicological information

Information on toxicological	<u>effects</u>	
Acute toxicity		
Conclusion/Summary	: Not available.	
Irritation/Corrosion		
Conclusion/Summary	: Not available.	
Sensitization		
Conclusion/Summary	: Not available.	
Mutagenicity		
Conclusion/Summary	: Not available.	
Carcinogenicity		
Conclusion/Summary	 This product contains no components present at concentrations equal to or greater than 0.1% listed by IARC, OSHA, NTP, or ACGIH as a carcinogen. 	
Reproductive toxicity		
Conclusion/Summary	: Not available.	
Teratogenicity		
Conclusion/Summary	: Not available.	
Specific target organ toxici	t <u>y (single exposure)</u>	
Not available.		
<u>Specific target organ toxici</u> Not available.	t <u>y (repeated exposure)</u>	
Aspiration hazard Not available.		
Information on the likely routes of exposure	: Routes of entry anticipated: Dermal, Ocular, Inhalationof dusts/vapors during processing.	
Potential acute health effects	<u>è</u>	
Eye contact	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. Eye irritation may occur due to vapors and fumes created under conditions of thermal decomposition and overheating.	
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Respiratory irritation may occur due to vapors and fumes created under conditions of thermal decomposition and overheating.	
Date of issue/Date of revision	: 09/27/2019 Date of previous issue : 12/15/2017 Version : 4 6/10	
۰		

Section 11. Toxicological information

Skin contact	: Heated material can cause thermal burns.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
<u>Long term exposure</u>				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Potential chronic health effects				
Not available.				
Not available. Conclusion/Summary	: Not available.			
	Not available.No known significant effects or critical hazards.			
Conclusion/Summary				
Conclusion/Summary General	: No known significant effects or critical hazards.			
Conclusion/Summary General Carcinogenicity	No known significant effects or critical hazards.No known significant effects or critical hazards.			
Conclusion/Summary General Carcinogenicity Mutagenicity	 No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. 			

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity Conclusion/Summary

: Not available.

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

Not available.

Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

Section 12. Ecological information

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

- **Disposal methods**
- : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Label						
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	Marine Pollutant: No	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

Section 15. Regulatory information

U.S. Federal regulations	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
<u>SARA 302/304</u>	
Date of issue/Date of revision	: 09/27/2019

... • . .

Section 15. Reg	gulatory information
Composition/informa	tion on ingredients
No products were four	nd.
SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	
Classification	: Not applicable.
Composition/informa	tion on ingredients
No products were four	nd.
State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.
nternational regulations	-
	vention List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol	
Not listed.	
Stockholm Conventior	n on Persistent Organic Pollutants
Not listed.	
Rotterdam Convention	on Prior Informed Consent (PIC)
Not listed.	
	ol on POPs and Heavy Metals
Not listed.	
Inventory list	
Australia	: All components are listed or exempted.
Canada	At least one component is not listed in DSL but all such components are listed in NDSL.
China	: All components are listed or exempted.
Japan	: Japan inventory (ENCS):
	All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
United States	: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.), Fourth Edition



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Section 16. Other information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

	Classification	Justification
Not classified.		
<u>History</u>		
Date of printing	: 09/27/2019	
Date of issue/Date of revision	: 09/27/2019	
Date of previous issue	: 12/15/2017	
Version	: 4	
Key to abbreviations	 ADR = The European Agreement concerning the Int Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor DOT = Department of Transportation GHS = Globally Harmonized System of Classification IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition co MARPOL = International Convention for the Prevent as modified by the Protocol of 1978. ("Marpol" = mar N/A = Not available RID = The Regulations concerning the International Rail SGG = Segregation Group TDG = Transportation of Dangerous Goods UN = United Nations 	n and Labelling of Chemicals efficient ion of Pollution From Ships, 1973 ine pollution)
References	: Not available.	

✓ Indicates information that has changed from previously issued version.

Notice to reader

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and regulations remains the responsibility of the user.