SAFETY DATA SHEET

Zeonex K26R

ZEON

Section 1. Identification

GHS product identifier	: Zeonex K26R
Other means of identification	: Not applicable.
Product code	: Z14812
Product use	: Optical, Medical Device and Electrical Applications.
Supplier's details	 Zeon Specialty Materials Inc. 25 Metro Drive #238 San Jose, CA 95110 USA Phone : +1-408-641-7889 FAX : +1-408-516-9382
e-mail address of person responsible for this SDS	: Mr. Toshiro Katayama: toshiro.katayama@zeonsmi.com Mr. Larry Atupem: larry.atupem@zeonsmi.com
Emergency telephone number (with hours of operation)	: CHEMTREC: 1-800-424-9300 (24 hours a day/7 days per week) Outside the United States (Call Collect): 001-703-527-3887

Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the	: Not classified.
substance or mixture	
	-
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Eye and respiratory irritation may occur due to vapors and fumes created during processing operations. In a fire, decomposition may produce toxic gases/fumes. Handling operations can promote accumulation of static charges which may ignite flammable materials. Take precautionary measures against static discharge. Keep container tightly closed. Heated material can cause thermal burns.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not applicable.
identification	
Product code	: Z14812

Ingredient name	%	CAS number
Polycycloolefin resin	~100	Proprietary

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Do not rub affected area. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Contact with hot material causes thermal skin burns. In case of burns, immediately cool affected skin with cold water and continue for as long as possible or apply wet cloths to the area until medical attention can be obtained.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. If potentially dangerous quantities of this material have been swallowed or if you feel unwell, call a poison control center or physician immediately.
Most important symptoms	/effects, acute and delayed
Potential acute health eff	ects
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. Eye irritation may occur due to vapors and fumes

created under conditions of thermal decomposition and overheating.
 Inhalation
 Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Respiratory irritation may occur due to vapors and fumes created under conditions of thermal decomposition and overheating.

Skin contact	: Heated material can cause thermal burns.

Ingestion	: No known significant effects or critical hazards.
	· · · · · · · · · · · · · · · · · · ·

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if l quantities have been ingested or inhaled.	arge
Specific treatments	No specific treatment.	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable train	ing.

Date of issue/Date of revision : 10/03/2019 Date of previous issue : 01/15/2018 Version : 4	2/10
---	------

Section 4. First aid measures

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: In case of fire, use water spray (fog), foam or dry chemical. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Do not use carbon dioxide or water jets.
Specific hazards arising from the chemical	: Minimize dust generation and accumulation; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Handling operations can promote accumulation of static charges which may ignite flammable materials. Take precautionary measures against static discharge.
Hazardous thermal decomposition products	: In a fire, decomposition may produce toxic gases/fumes.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	re equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary personnel away.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ainment and cleaning up
Small spill	Vacuum or sweep up material and place into appropriate containers for reuse, recycling, or disposal.
Large spill	Prevent entry into sewers, water courses, basements or confined areas. Move containers from spill area. Vacuum or sweep up material and place into appropriate

containers for reuse, recycling, or disposal. Note: see Section 1 for emergency contact

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Handling operations can promote accumulation of static charges which may ignite flammable materials. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.
	Minimize dust generation and accumulation; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion

information and Section 13 for waste disposal.

Section 7. Handling and storage

hazard. Avoid all possible sources of ignition (spark or flame).

	Decomposition may occur during exposure to elevated temperatures or excessive time periods. Equipment should not be shut down for extended time periods with compound in it or decomposition may occur. Employees should wear air-supplied respirators, gloves, and protective clothing when removing decomposition material. Avoid inhalation of vapors and fumes created under conditions of thermal decomposition and overheating.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store indoors in original container at normal room temperature* and humidity* and well-ventilated area, protected from direct sunlight and formation of condensation. Store it away from incompatible materials (see Section 10), food and drink. Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. *Preferred normal room temperature and humidity: 0°C - 40°C (32°F - 104°F) and 30%-90% Relative Humidity (RH).

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits			
Polycycloolefin resin		None.			
Particulates Not Otherwise	Regulated (Total Dust)	OSHA PEL (United States, 9/2012). TWA: 15 mg/m ³ 8 hours.			
Appropriate engineering controls	contaminants. Use process	ould be sufficient to control worker exposure to airborne s enclosures, local exhaust ventilation or other engineering osure to airborne contaminants below any recommended or			
Environmental exposure controls		Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.			
Individual protection meas	ures				
Hygiene measures	: Wash hands before breaks	and immediately after handling the product.			
Eye/face protection	assessment indicates this is	with an approved standard should be used when a risk s necessary to avoid exposure to liquid splashes, mists, dling heated or molten material, the following should be worn id a face shield.			
Skin protection					
Hand protection		ne practice. When handling hot material, wear heat- hat are able to withstand the temperature of molten product.			
Body protection		ent for the body should be selected based on the task being olved and should be approved by a specialist before			
Other skin protection		ny additional skin protection measures should be selected formed and the risks involved and should be approved by a his product.			

Section 8. Exposure controls/personal protection

Respiratory protection : Respiratory protection is typically not necessary if room is well ventilated. If vapor or dust is generated and ventilation is inadequate, use a NIOSH certified respirator that will protect against dust/mist. Wear a positive pressure air-supplied respirator in situations where there may be potential for elevated airborne exposure such as during equipment malfunction, or product stagnation during processing that may lead to decomposition. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance	
Physical state	: Solid. [Pellet]
Color	: Colorless.
Odor	: Odorless.
Odor threshold	: Not available.
рН	: Not available.
Melting point	: Not available.
Boiling point	: Not applicable.
Flash point	: Not applicable.
Evaporation rate	: Not applicable.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not applicable.
Vapor pressure	: Negligible.
Vapor density	: Not applicable.
Relative density	: 1.01 [Water = 1]
Solubility	: Not available.
Solubility in water	: Insoluble.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	Not available.
Viscosity	: Not applicable.

Section 10. Stability and reactivity

Reactivity	: Under normal conditions of storage and use, hazardous polymerization will not occur.
Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: None known.
Conditions to avoid	: Overheating. Prevent dust accumulation.
Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizing materials Reducing agents
Hazardous decomposition products	 If product is exposed to significant temperatures, decomposition may occur and produce toxic gases/fumes. Decomposition products: carbon monoxide; carbon dioxide; hydrocarbons

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Polycycloolefin resin	LD50 Dermal	Rabbit	>2000 mg/kg (est)	-
	LD50 Oral	Rat	>2000 mg/kg (est)	-
Conclusion/Summary	: Based on available data, t	ne classification crite	eria are not met.	
Irritation/Corrosion				
Conclusion/Summary	: Not available.			
Sensitization				
Conclusion/Summary	: Not available.			
Mutagenicity				
Conclusion/Summary	: Not available.			
Carcinogenicity				
Conclusion/Summary	: This product contains no c 0.1% listed by IARC, OSH			ual to or greater tha
Reproductive toxicity				
Conclusion/Summary	: Not available.			
Teratogenicity				
Conclusion/Summary	: Not available.			
Specific target organ toxici Not available.	<u>ity (single exposure)</u>			
<u>Specific target organ toxici</u> Not available.	ity (repeated exposure)			
Aspiration hazard Not available.				
nformation on the likely outes of exposure	: Routes of entry anticipated processing.	l: Dermal, Ocular, Ir	halationof dusts/vap	ors during
otential acute health effect	<u>s</u>			
Potential acute health effect Eye contact	 Exposure to airborne conc may cause irritation of the created under conditions of 	eyes. Eye irritation	may occur due to va	pors and fumes
	: Exposure to airborne conc may cause irritation of the	eyes. Eye irritation f thermal decompos entrations above sta nose, throat and lur	may occur due to va sition and overheating atutory or recommen- ngs. Respiratory irrita	pors and fumes g. ded exposure limits ition may occur due
Eye contact	 Exposure to airborne conc may cause irritation of the created under conditions of Exposure to airborne conc may cause irritation of the to vapors and fumes creat 	eyes. Eye irritation f thermal decompos entrations above sta nose, throat and lur ed under conditions	may occur due to va sition and overheating atutory or recommen- ngs. Respiratory irrita	pors and fumes g. ded exposure limits ition may occur due
Eye contact Inhalation	 Exposure to airborne cond may cause irritation of the created under conditions of Exposure to airborne cond may cause irritation of the to vapors and fumes creat overheating. 	eyes. Eye irritation f thermal decompos entrations above sta nose, throat and lur ed under conditions e thermal burns.	may occur due to va sition and overheating atutory or recommen- igs. Respiratory irrita of thermal decompo	pors and fumes g. ded exposure limits ition may occur due
Eye contact Inhalation Skin contact Ingestion	 Exposure to airborne cond may cause irritation of the created under conditions of Exposure to airborne cond may cause irritation of the to vapors and fumes creat overheating. Heated material can cause 	eyes. Eye irritation f thermal decompos entrations above sta nose, throat and lur ed under conditions e thermal burns. ts or critical hazards	may occur due to va sition and overheating atutory or recommen- igs. Respiratory irrita of thermal decompo	pors and fumes g. ded exposure limits ition may occur due
Eye contact Inhalation Skin contact Ingestion	 Exposure to airborne cond may cause irritation of the created under conditions of Exposure to airborne cond may cause irritation of the to vapors and fumes creat overheating. Heated material can cause No known significant effect 	eyes. Eye irritation f thermal decompos entrations above sta nose, throat and lur ed under conditions e thermal burns. ts or critical hazards	may occur due to va sition and overheating atutory or recommen- igs. Respiratory irrita of thermal decompo	pors and fumes g. ded exposure limits ition may occur due
Eye contact Inhalation Skin contact Ingestion	 Exposure to airborne cond may cause irritation of the created under conditions of Exposure to airborne cond may cause irritation of the to vapors and fumes creat overheating. Heated material can cause No known significant effect 	eyes. Eye irritation f thermal decompos entrations above sta nose, throat and lur ed under conditions e thermal burns. ts or critical hazards	may occur due to va sition and overheating atutory or recommen- igs. Respiratory irrita of thermal decompo	pors and fumes g. ded exposure limits ition may occur due
Eye contact Inhalation Skin contact Ingestion Symptoms related to the phy Eye contact	 Exposure to airborne cond may cause irritation of the created under conditions of Exposure to airborne cond may cause irritation of the to vapors and fumes creat overheating. Heated material can cause No known significant effect ysical, chemical and toxicolo No specific data. 	eyes. Eye irritation f thermal decompos entrations above sta nose, throat and lur ed under conditions e thermal burns. ts or critical hazards	may occur due to va sition and overheating atutory or recommen- igs. Respiratory irrita of thermal decompo	pors and fumes g. ded exposure limits ition may occur due

Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure

Date	of issue	Date of	revision
------	----------	---------	----------

Section 11. Toxicological information

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

<u>Mobility in soil</u>	
Not available.	
Bioaccumulative potential	
Conclusion/Summary	: Not available.
Persistence and degradabili	<u>ty</u>
Conclusion/Summary	: Not available.

Section 13. Disposal considerations

the sewer unless fully compliant with the requirements of all authorities with jurisdicti Waste packaging should be recycled. Incineration or landfill should only be consider	Disposal methods	
---	------------------	--

7/10

Section 13. Disposal considerations

sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Label						
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	Marine Pollutant: No	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

Section 15. Regulatory information

U.S. Federal regulations					
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed				
Clean Air Act Section 602 Class I Substances	: Not listed				
Clean Air Act Section 602 Class II Substances	: Not listed				
DEA List I Chemicals (Precursor Chemicals)	: Not listed				
DEA List II Chemicals (Essential Chemicals)	: Not listed				
<u>SARA 302/304</u>					
Composition/information	on ingredients				
No products were found.					
SARA 304 RQ	: Not applicable.				
<u>SARA 311/312</u>					
Classification	: Not applicable.				
Composition/information on ingredients					
No products were found.					
State regulations					
Massachusetts	: None of the components are listed.				

Date

of issue/Date of revision	: 10/03/2019	Date of previous issue	:01/15/2018	Version	:4
---------------------------	--------------	------------------------	-------------	---------	----

8/10

Section 15. Regulatory information

New York	: None of the components are listed.			
New Jersey	: None of the components are listed.			
Pennsylvania	: None of the components are listed.			
nternational regulations				
Chemical Weapon Conv	rention List Schedules I, II & III Chemicals			
Not listed.				
Montreal Protocol				
Not listed.				
Stockholm Convention	on Persistent Organic Pollutants			
Not listed.				
Pottordam Convention	on Prior Informed Consent (PIC)			
Not listed.	<u>Sir Frior Informed Consent (FIC)</u>			
	I on POPs and Heavy Metals			
Not listed.				
Inventory list				
China	: All components are listed or exempted.			
Japan	: Japan inventory (ENCS):			
	All components are listed or exempted.			
Republic of Korea	: All components are listed or exempted.			

United States : All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.), Fourth Edition



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

9/10

Section 16. Other information

Procedure used to derive the classification					
Classification	Justification				
: 10/03/2019	: 10/03/2019				
: 10/03/2019					
01/15/2018					
4					
 ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor DOT = Department of Transportation GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SGG = Segregation Group TDG = Transportation of Dangerous Goods 					
: Not available.					
	Classification : 10/03/2019 : 10/03/2019 : 01/15/2018 : 4 : ADR = The European Agreement concerning the Inter Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor DOT = Department of Transportation GHS = Globally Harmonized System of Classification IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coet MARPOL = International Convention for the Prevention as modified by the Protocol of 1978. ("Marpol" = marited by the Protocol of 1978. ("Marpol" = marite				

✓ Indicates information that has changed from previously issued version.

Notice to reader

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and regulations remains the responsibility of the user.